


bose acoustimass 5 series ii manual



File Name: bose acoustimass 5 series ii manual.pdf

Size: 3055 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 4 May 2019, 18:25 PM

Rating: 4.6/5 from 649 votes.

Status: AVAILABLE

Last checked: 5 Minutes ago!

In order to read or download bose acoustimass 5 series ii manual ebook, you need to create a FREE account.

[Download Now!](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with bose acoustimass 5 series ii manual . To get started finding bose acoustimass 5 series ii manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

bose acoustimass 5 series ii manual

Learn more or change settings here. Just type your request below Quick tip Try searching for just one or two words e.g., connection help. The satellites have been restyled and actually reduced in size. The cubes can be independently rotated through almost 360 degrees, permitting the spatial properties of the speakers sound to be modified by reflecting some of its output off nearby walls. Controlling the ratio of direct to reflected sound in the listening area has long been a Bose feature.. The enclosures are filled with soundabsorbing material. Unlike the satellites in the original AM5, the Series II satellites cannot be taken apart; the two cubes are permanently attached. Several types of brackets and stands are available for mounting the satellites in a variety of positions. The drivers are magnetically shielded so they can be placed close to a TV monitor without distorting the color. The bass enclosure was equivalent to a bandpass filter, about one and a half octaves wide, whose steep highfrequency cutoff slope effectively prevented harmonics of the bass frequencies from being propagated into the room. The Acoustimass bass modules complete freedom from this effect made it possible to place it anywhere in the room without degrading the front stereo image. With many types of program material the hole was not noticeable, but at times it could be heard as a somewhat disembodied lowbass presence. The upper limit of the bass modules frequency response was extended while retaining and even increasing its very steep cutoff slope. The result is said to be a smooth, undetectable transition from the bass module to the satellite drivers together with an actual extension of the lowbass response. The bass modules frequency range is roughly 50 to 250 Hz. It can be placed almost anywhere, on any of its surfaces, as long as the vent is unobstructed the opening should be at least 2 inches from other surfaces. <http://www.mpk sieradz.pl/upload/952af-can-manual.xml>

- **bose acoustimass 5 series ii manual, bose acoustimass 5 series ii specs, bose acoustimass 5 series ii subwoofer specs, bose acoustimass 5 series v manual, bose acoustimass 5 series 2 manual, bose acoustimass 5 series ii specifications, bose acoustimass 5 series ii subwoofer manual, bose acoustimass 5 series ii instruction manual, bose acoustimass 5 series ii service manual, bose acoustimass 5 series 2 specs, bose acoustimass 5 series ii manual, bose acoustimass 5 series ii manual, bose acoustimass 5 series ii manual pdf, bose acoustimass 5 series ii manual, bose acoustimass 5 series ii manual pdf, bose acoustimass 5 series ii system manual.**

The systems automatic protection against overload damage reduces the signal level until the overload has been removed. The Acoustimass bass module is available in a scratchresistant black or white satin finish, and the satellites are finished in a black or white polymer. Cables about 18 feet long are supplied for connecting the bass module to the satellites. The complete system, in its shipping carton, weighs 30 pounds. The bass module was placed on the floor about midway between the satellites and also about 30 inches from a wall. The bass modules output was measured with the microphone at its port opening. When the drivers were angled outward, a rather extreme condition of operation, the output level was slightly lower above 1,500 Hz. The response curve ran parallel to the forwardfacing response curve but 2 to 5 dB below it all the way to 20,000 Hz. Clearly, ones choice of angles for adjustment of reflected sound is not going to affect the systems basic sound qualities. It fell off at about 24 dB per octave below 50 Hz and at a remarkable 50 dB per octave from 250 to 330 Hz. There was a narrow band of high output, between 450 and 600 Hz, where the level was comparable to that of the satellites in the same range. Though this figure is slightly higher than the 87dB SPL measurement obtained by Bose using pink noise limited to a 200 to 20,000Hz band,

the difference is probably explained by our measurement signal, which extended down to 20 Hz, and our placement of the Acoustimass bass module near the satellite being measured. Satellite distortion at the same level was 0.6 percent from 500 Hz to 3,000 Hz and increased to 4 percent at the 230 Hz crossover frequency. The satellite's low-frequency response dropped at a rate of 15 dB per octave below 300 Hz excluding the effect of the system's crossover network. The maximum impedance of 30 ohms was at 53 Hz, with smaller peaks at 28 and 130 Hz. The impedance phase angle was less than 25 degrees above 130 Hz. <http://www.ltpotech.vn/uploads/userfiles/953cb-manual.xml>

At lower frequencies it increased to 180 degrees lagging at 20 Hz, with variations corresponding to the response variations in that range. Similarly, the amplifier clipped at 810 watts into 8.5 ohms at 10,000 Hz and at 1,100 watts into 6 ohms at 1,000 Hz. The gap widened to about 12 dB above that frequency and still more above 12,000 Hz. If desired, the user could aim one driver in each pair at the listening location, to obtain a full-range response, and the other at the wall behind for ambience enhancement by reflection. It proved able to absorb the output of some very large amplifiers without damage or audible distress and was clearly a step forward from any previous three-piece system we had heard. When we heard the Series II version at a press conference, it appeared that the problem had been solved. Now that we have had the opportunity to test a production system, we can verify that the Acoustimass 5 Series II is free of that effect. Its frequency response is smoother than many highly regarded systems we have tested, and it spans the 45 to 20,000 Hz range with excellent dispersion. Its stereo imaging is very good, with accurate positioning laterally and vertically. There is no way that a person hearing but not seeing the Acoustimass 5 Series II would suspect that its powerful, room-filling sound emerges from satellite speakers that could easily be held on the palm of one's hand and a compact bass module that can be hidden under or behind almost any piece of furniture. Of the many we have tested, all of them very good, the Bose Acoustimass 5 Series II is one of the most expensive and also one of the best. Hear it and be convinced for yourself. Its small size allows it to harmonize with your decor and the automatic protection circuitry stops the speakers from being overdriven, which affords added reliability. Plus, with magnetically shielded speakers, you can place them near your TV without worrying about interference to the picture quality.

Its designed for use with your stereo or home theater receiver, but it can also be used as a rear speaker system in your component home theater setup. Main Features Acoustimass Module Acoustimass module works in concert with the small speakers to deliver a fuller range of theater sound and effects. Let us know YOUR RECENTLY VIEWED ITEMS Browsing History ON Clear History Not responsible for typographical or illustrative errors. Learn more opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab This amount is subject to change until you make payment. If you reside in an EU member state besides UK, import VAT on this purchase is not recoverable. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab Estimated delivery dates opens in a new window or tab include sellers dispatch time, and will depend on postal service selected. Delivery times may vary, especially during peak periods. Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab See the sellers listing for full details. You're covered by the eBay Money Back Guarantee if you receive an item that is not as described in the listing. Find out more about your rights as a buyer opens in a new window or tab and exceptions opens in a new window or tab. Contact the seller opens in a new window or tab and request a postage method to your location. Please enter a valid postcode. Please enter a number less than or equal to 1. We may receive commission if your application for credit is successful. Terms and conditions apply. Subject to credit approval. We may receive commission if your application for credit is successful. All Rights Reserved.

User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. For streamlined installation, connecting speaker cables are included. These speakers incorporate angled drivers for an immersive audio experience and can be mounted flush to a wall optional wall brackets. Acoustimass Bass Module This passive Acoustimass module is designed to add noticeable bass impact to movie and music soundtracks. Even tucked away behind a couch or curtain, this module is designed to add powerful lowfrequency sound with virtually no distortion. We delete comments that violate our policy, which we encourage you to read. Discussion threads can be closed at any time at our discretion. [Click here](#) for more information on the types of cookies we use and how to change your cookie settings. Place the module out of view, and all your sound will seem to pour from the tiny cube speakers. Placing it on its side may limit its ability to play at full output for extended periods of time. Please check on the Pinelabs page at the time of checkout. Please check on the Snapmint page at the time of checkout. The speaker's clutterfree design fits naturally into any part of your home and delivers a realistic and immersive experience. The speaker aids in providing balanced audio performance at all times and even delivers deep low notes of your favorite entertainment. The precisely angled drivers fill your room with spacious performance while the speakers can be placed easily by mounting them on the wall or just placing them on a flat table for you to enjoy a totally immersive sound experience. Amazing Sound Output The Bose Acoustimass 5 Series V Stereo Speaker System ensures you have an amazing audio experience at all times thanks to its cuttingedge audio technology. The speakers provide you incredible stereo sound and come with a powerful sound output to provide optimum level performance at all times.

The speaker which is very easy to set up ensures balanced sound so that you can enjoy the optimum clarity and distortionfree audio on any volume level. Space Efficient Design Apart from providing you with amazing audio output, the Bose Acoustimass 5 Series V Stereo Speaker System also boasts of a very space efficient design that ensures optimum functionality when placed in perfectly designated places. The speakers can be mounted on to the wall with optional brackets while the module can be placed hidden away from the view to ensure there are not too many speakers that are visible in your living room. The Adhesivebacked rubber feet ensure that the speakers stand firmly and are not displaced easily. Croma has a network of 97 Croma stores spread across 20 cities. By availing Croma's omnichannel services, a customer can order their favorite electronics online and pick it up from the nearest store in as less as two hours. With Croma's virtual aisle, a customer can place an order of their dream gadget that may not be available at the store, but available on www.croma.com and get it delivered to their doorstep. Additionally, the express shipping feature enables a customer to get product delivery in less than 48 hours. Croma also allows customers to gift the freedom of choice to their loved ones with Gift Cards and eGift Vouchers of multiple denominations. Croma also enables a customer to pay by their preferred payment option. We also allow customers to avail various Easy EMI options. To ensure that our customers enjoy their product to the fullest, we also encourage them to safeguard their products by availing an Extended Warranty across all categories. Shopping at Croma will be a fulfilling experience giving you access to a wide range of products at competitive prices. All this comes with a great after sale service provided by an authorized 24 x 7 customer care center. [Clear List](#). [Ask your question here](#).

Provide a clear and comprehensive description of the issue and your question. The more detail you provide for your issue and question, the easier it will be for other Bose Acoustimass 5 Series III owners to properly answer your question. Ask a question [About the Bose Acoustimass 5 Series III](#) This manual comes under the category Speakers and has been rated by 3 people with an average of a 7.2. This manual is available in the following languages English. Do you have a question about the Bose Acoustimass 5 Series III or do you need help. [Ask your question here](#) [Bose Acoustimass 5 Series III specifications](#) Brand The distance between the two devices that exchange data can in most cases be no more than ten metres. When the volume exceeds 120 decibels, direct damage can even occur. The chance of hearing damage depends on the listening frequency and duration. This makes it

possible to create a 5.1 effect with only 1 speaker. ManualSearcher.com ensures that you will find the manual you are looking for in no time. Our database contains more than 1 million PDF manuals from more than 10,000 brands. Every day we add the latest manuals so that you will always find the product you are looking for. Its very simple just type the brand name and the type of product in the search bar and you can instantly view the manual of your choice online for free. ManualSearcher.com If you continue to use this site we will assume that you are happy with it. Read more Ok. Something went wrong.Learn more opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping Program terms and conditions opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping Program terms and conditions opens in a new window or tab Delivery times may vary, especially during peak periods.

Learn more opens in a new window or tab Learn more opens in a new window or tab Learn more opens in a new window or tab Learn more opens in a new window or tab See the seller's listing for full details and description of any imperfections. Contact the seller opens in a new window or tab and request a postage method to your location. Please enter a valid postcode. Please enter a number less than or equal to 1. If you dont follow our item condition policy for returns, you may not receive a full refund. Refunds by law In Australia, consumers have a legal right to obtain a refund from a business if the goods purchased are faulty, not fit for purpose or dont match the sellers description. More information at returns. All Rights Reserved. In addition to functional cookies, which make the website work well, we place analytical cookies to make our website a little bit better every day. We also place personal cookies so that we, and third parties, can track your internet behavior and show personal content. If you want to use our website in its full glory, you need to accept our cookies. If you choose to refuse, we only place functional and analytical cookies. Change preference Click the button below and set a password via email to log in.Start here With the marked cables, you connect the set easily and quickly. This way, the music comes from different directions and it feels like youre actually at the concert. Despite the compact size of the passive speakers, the Acoustimass 5V is powerful enough to fill a large room with clear sounds. You can easily hide the small Acoustimass module behind the curtain or the couch. This way, you wont have a room full of large speakers, but will still have a full stereo sound. It will protect. Please do not offer the downloaded file for sell only use it for personal usage. Looking for other manual For this no need registration. May be help you to repair. You could suffer a fatal electrical shock.

Instead, contact your nearest service center. Note! To open downloaded files you need acrobat reader or similar pdf reader program. In addition, Also some files are djvu so you need djvu viewer to open them. These free programs can be found on this page needed progs If you use opera you have to disable opera turbo function to download file. If you cannot download this file, try it with CHROME or FIREFOX browser. Translate this page Relevant AUDIO forum topics BOSE bekotesi rajz Legyszi legyszi ha valaki tudnasegiteni egy BOSE AMP2440as erosito bekoteseben,azt nagyon szepen megkoszonem. Ez AUDI A3asbol van, a steker nincsmeg. Bose Lifestyle CD20 FLC kijelzo halvany Sziasztok! A fenti keszuleknek halvany a kijelzese. Eleg erdekesen van megoldva a kijelzo tapfesz, sokban fugg a bejovo 12VAC feszultsegtol. Kerdesem az lenne, hogy a futest probaljam emelni, vagy a 24Vot. A D8on a 30V is kevesebb, de az AC 4.5V is. Melyik befolyasolja jobban a fenyerot. A futes, vagy a negativ tapfesz Basszus vegfoka 23mp mulva megfut vagy pozitivba vagy negativba ha nincs a hangszoro rarakva, hangszoroval azonnal letilt, amikor a kimeneten eljut DC 4Vig a vedelem lekapcsolja relevel az erositot. Mikor a MUTE hibát kerestem, volt olyan eset is, hogy nem futott meg a kimenet es szolt a basszus rendesen, de ujboli bekapcsolaskor ha nem halkitottam le a potit akkor kikapcsolt a rele, ha lehalkitottam akkor jo lett, de nagyon susogott, arra hasonlított mint amikor FM radio nincs az allomason, van egy kozos mute tranzisztor az kapcsolja az osszes tobbit, ha azt kisedtem akkor is megmaradt a susogas, szerintem visszafele jott valamelyik oldalrol

ezert szedtem ki mindegyik oldalrol a tranzisztorokat, nem akartam bajlodni vele, hogy honnet jon a susosgas vissza. Mi lehet a gond Bose Sounddock 1 tapegyseg csati Sziasztok. Egy baratom megkert, hogy talaljak vagy gyartsak egy tapegyseget a Bose dokkolojahoz. Sajnos az eredetiket aranyarban adjak, igy gyartanom kell egyet.

Talaltam is egy elegans kis 4 pines csatit, de fennakadtam az eredeti csatlakozo labkiosztasan. Talaltam egy rajzot de nem tudom eldonteni, hogy a kabelen levot abrazolja, vagy a dokkoloban levot. Ha valakinek dolga volt ilyennel, es tudna segiteni, kerem ne tartsa vissza magat. Koszonom.. Similar manuals You can write in English language into the forum not only in Hungarian. Lokalita. Okoli km. Cena od do Kc Masivni dreveny korpus omezuje na minimum n. Najlepsie je osobny odber, alebo poslem postou. Najlepsie je osobny odber, alebo poslem postou. Posielam aj na dobierku, alebo je mozny osobny odber. Nabidka plati do smazani! Prodam popripade i vymenim napriklad za telefon, ale i za neco jineho. Nabidky posilejte pres kontaktni formular. Nejlepsi digitalni bezdratovy 1.1 repro system domaci zabavy je jedinecnou kombinaci des. Najlepsie je osobny odber s obhliadkou a odskusanim, ale viem to poslat aj kurierom. Cena je pevna. Za nic nemenim! Nerezervuji. Zvukovy system bose CineMate 15 se sklada ze soundbaru a aktivniho subwooferu acoustimass. Prinasi plny zvuk a hluboke basy, TrueSpace signal processing se stara o dokonale rozlozeni zvuku v mistnosti. You may have to register before you can post click the register link above to proceed. To start viewing messages, select the forum that you want to visit from the selection below.